


Add: No 6, West Garmsar St, Shirazi St, Mollasadra Ave, TEHRAN,IRAN Tel: +98 21 40 88 47 00 Fax: +98 21 40 88 47 00 www.nourabin.com Email: info@nourabin.com IG: nourabingroup

NOURABIN

Light Always Follows the Path of Beauty





INDOOR LINEAR LIGHT



Linear lights have revolutionized the world of interior design, offering a sleek and modern aesthetic that can elevate any space. It is produced and supplied in variety of styles and lengths, including recessed linear lights, surface mounted and pendant, in different shapes such as square, rectangle, triangle, polygon, circle and all kinds of curved shapes. Recessed linear lighting can add a sense of depth and visual interest to a space, creating a sense of layering and dimensionality and Curve-shaped add a touch of whimsy and flexibility to any room. On the other hand Pendant linear lights, creating a sense of airiness and grandeur.

Moreover, the ability to create different moods with linear lights adds to their versatility, allowing for creative tailor made solutions for specific needs. Dimmer switches and color-changing capabilities further enhance their functionality, enabling users to adjust the lighting according to the time of day or occasion.

Recessed Linear Lights



TS1T Power: 20W / 24W / 30W Color: White / Black Light: 6000K.4000K.3000K



TS3T Power: 20W / 24W / 30W Color: White / Black Light: 6000K.4000K.3000K



TS13TF Power: 20W / 24W / 30W Color: White / Black Light: 6000K.4000K.3000K



TS22TF Power: 20W / 24W / 30W Color: White / Black Light: 6000K.4000K.3000K





TS15TR Power: 20W / 24W / 30W Color: White / Black Light: 6000K.4000K.3000K



TS45T Power: 20W / 24W / 30W Color: White / Black Light: 6000K.4000K.3000K



TS2TR Power: 20W / 24W / 30W Color: White / Black Light: 6000K.4000K.3000K



TS44T Power: 20W / 24W / 30W Color: White / Black Light: 6000K.4000K.3000K



TS11T Power: 60W / 90W Color: White / Black Light: 6000K.4000K.3000K



TS5T Power: 20W / 24W / 30W Color : White / Black Light: 6000K.4000K.3000K



TS10T Power: 60W / 90W Color: White / Black Light: 6000K.4000K.3000K



TS9T Power: 40W / 52W / 60W Color: White / Black Light: 6000K,4000K.3000K








TS18T Power: 20W / 24W / 30W Color: White / Black Light: 6000K.4000K.3000K



TS47 Power: 20W / 24W / 30W Color: White / Black Light: 6000K.4000K.3000K



TS19T Power: 40W / 52W / 60W Color: White / Black Light: 6000K.4000K.3000K



TS21T Power: 20W / 24W / 30W Color: White / Black Light: 6000K.4000K.3000K



TS25T Power: 40W / 52W / 60W Color: White / Black Light: 6000K.4000K.3000K



TS26T Power: 20W / 24W / 30W Color: White / Black Light: 6000K.4000K.3000K



TS30T Power: 60W / 90W Color: White / Black Light: 6000K.4000K.3000K



TS48T Power: 40W / 52W / 60W Color: White / Black Light: 6000K.4000K.3000K

Surface Mounted Linear Lights



TS6R Power: 30W / 60W Color: White / Black Light: 6000K.4000K.3000K



TS7R Power: 30W / 60W Color: White / Black Light: 6000K.4000K.3000K



TS12R Power: 30W / 60W Color: White / Black Light: 6000K.4000K.3000K



TS14R Power: 30W / 60W Color: White / Black Light: 6000K.4000K.3000K



TS15R Power: 20W / 24W / 30W Color: White / Black Light: 6000K.4000K.3000K



TS16R Power: 30W / 60W Color: White / Black Light: 6000K.4000K.3000K



TS18R Power: 30W / 60W Color: White / Black Light: 6000K.4000K.3000K



TS24R Power: 30W / 60W Color: White / Black Light: 6000K.4000K.3000K








TS32R Power: 60W / 90W Color: White / Black Light: 6000K.4000K.3000K



TS35R Power: 20W / 24W / 30W Color: White / Black Light: 6000K.4000K.3000K



TS37R5 Power: 60W / 90W Color: White / Black Light: 6000K.4000K.3000K



TS38R8 Power: 30W / 60W Color: White / Black Light: 6000K.4000K.3000K



TS38R9
Power: 30W / 60W
Color: White / Black
Light: 6000K.4000K.3000K

Corner & Cornice Linear Lights









TS33G Power: 20W / 24W / 30W Color: White / Black Light: 6000K.4000K.3000K

TS34G Power: 20W / 24W / 30W Color: White / Black Light: 6000K.4000K.3000K

TS55G2 Power: 20W / 24W / 30W Color: White / Black Light: 6000K.4000K.3000K

TS100G2 Power: 20W / 24W / 30W Color: White / Black Light: 6000K.4000K.3000K



TS4K Power: 20W / 24W / 30W Color: White / Black Light: 6000K.4000K.3000K



TS27K Power: 20W / 24W / 30W Color: White / Black Light: 6000K.4000K.3000K



TS40K Power: 20W / 24W / 30W Color: White / Black Light: 6000K.4000K.3000K



TS32K1 Power: 20W / 24W / 30W Color: White / Black Light: 6000K.4000K.3000K



TS33K1 Power: 20W / 24W / 30W Color: White / Black Light: 6000K.4000K.3000K




TS31K Power: 24W / 30W Color: White / Black Light: 6000K.4000K.3000K





Curved Linear Lights





INDOOR MAGNETIC LIGHT



The Magnetic Track Systems are the fusion of technology and lifestyle integrating into a futuristic lighting design. It is an ideal choice for use in both residential and commercial settings. This versatile system is completely modular, allowing for easy customization and flexibility. It is capable of illuminating a wide range of spaces with interchangeable lighting fixtures. Options include fixed and adjustable linear and spotlights, are perfect for both general and feature lighting. This system allows you to easily change the look of your space at any time.

The Magnet Track System can be recessed, surface-mounted, or suspended to meet your specific requirements. It can be installed on either the ceiling or wall, providing the flexibility to create a unique look that aligns with your style. Operating on a safe low voltage of DC48V across all tracks, this system presents a significantly safer alternative to traditional direct electricity input track systems.

Magnetic Lights



Description

The Grille Light boasts a minimalist design aesthetic. with LEDs seamlessly blending into the background to give ceilings a subtly sophisticated appearance. The high light output of this fixture provides an ideal setting for showcasing objects in a visually striking manner.



SH-MG12 Power: 10 Watt / 18 Watt Beam Angle: 24 Dagree Color Temperature : 4000 K Light Efficiency: 80 Lumen / Watt Color Rendering Index :



The Magnetic Track Systems are the fusion of technology and lifestyle integrating into a futuristic lighting design. It is an ideal choice for use in both residential and commercial settings. This versatile system is completely modular, allowing for easy customization and flexibility. It is capable of illuminating a wide range of spaces with interchangeable lighting fixtures. Options include fixed and adjustable linear and spotlights, are perfect for both general and feature lighting. This system allows you to easily change the look of your space at any time and provides you with ultimate freedom to effortlessly create and modify a lighting arrangement in a matter of seconds. Say goodbye to static lighting setups and hello to dynamic, customizable illumination at your fingertips.

The Magnet Track System can be recessed, surface mounted or suspended to suit your specific needs. It can be mounted on either the ceiling or wall, giving you the freedom to create a custom look that fits your style. It operates on a safe low voltage of DC48V across all tracks, making it significantly safer than traditional direct electricity input track systems.



MAGNETIC FLOOD LIGHTS

Code of Product : SH-MF10 Power: 10 Watt / 20 Watt / 30 Watt Dimmension Beam Angle 120 Dagree 4000 K Color Temperature : Light Efficiency: 80 Lumen / Watt Color Rendering Index : > 90



Enhance your space with this magnetic flood light. This modern and energy-efficient lighting option provides a selection of color temperatures, allowing you to create the ideal atmosphere for any environment. Let the magnetic force illuminate your environment. With this gadget light distribution will be done uniformly. Reach out to us for a personalized quote today!





Magnetic Lights



Description

The Flood lights adjustable body allows for precise accent placement within any interior space. The bright light produced by these fixtures beautifully highlights the colors and exquisite finishes of surrounding objects, adding a touch of elegance to any room.

ADJUSTABLE FLOOD LIGHT

Code of Product SH-MFA6 6 Watt / 12 Watt Power: Beam Angle: 120 Dagree Color Temperature: 4000 K Light Efficiency: 80 Lumen / Watt Color Rendering Index:

Dimmension







Description

Spotlights are a precise method for creating accent lighting, perfect for illuminating panels or highlighting 3D objects.

The luminaire's unique feature enables you to direct light from a narrow angle to a medium one, providing versatility in lighting options.

Dimmension





MAGNETIC PENDANT LIGHT

Code of Product Power: Beam Angle: Color Temperature : Light Efficiency: 80 Lumen / Watt lighting or setting the per-Color Rendering Index:

Description

Magnetic pendant track lights have revolutionized the world of interior lighting. offering a perfect blend of style and functionality. These innovative gadgets are not only visually appealing but also highly versatile in their applications. With adjustable height features, they provide a customizable lighting solution that can en-SH-MP10 hance any space. This 10 Watt / 20 Watt gadget provides precise 30 Dagree and focused illumination, 4000 K making it ideal for accent > 90 fect ambiance in any room.





Magnetic Rails



BUILT-IN MAGNETIC RAIL

Code of Product	SH-MPS-2M
Width	25mm
Cut out	
Height	52mm
Length	2meter
Color body	Black Anidized
Material	Aluminum Extrude
Voltage	48 VDC
Installation Type	Ressced Trimless









COATED MAGNETIC RAIL

Code of Product	SH-MPR-2M
Width	25mm
Cut out	30mm
Height	48mm
Length	2meter
Color body	Black Anidized
Material	Aluminum Extrude
Voltage	48 VDC
Installation Type	Ressced Trimless











Magnet light Accesories


POWER SUPPLY & ELECTRICAL CONNECTIONS



CEILING CORNER JOINT



INSERT CORNER



Magnetic Rails



BUILT-IN MAGNETIC RAIL

Code of Product	SH-MPS-2M
Width	25mm
Cut out	
Height	52mm
Length	2meter
Color body	Black Anidized
Material	Aluminum Extrude
Voltage	48 VDC
Installation Type	Ressced Trimless









COATED MAGNETIC RAIL

Code of Product	SH-MPR-2M
Width	25mm
Cut out	30mm
Height	48mm
Length	2meter
Color body	Black Anidized
Material	Aluminum Extrude
Voltage	48 VDC
Installation Type	Ressced Trimless











Magnet light Accesories


POWER SUPPLY & ELECTRICAL CONNECTIONS



CEILING CORNER JOINT



INSERT CORNER



INDOOR

DECORATIVE LIGHT



In today's design landscape, the strategic use of decorative lighting has become a powerful tool for transforming indoor and outdoor spaces. Whether creating a cozy ambiance in a living room or accentuating the beauty of a garden, decorative lights play a crucial role in enhancing the stunning appeal and functionality of any environment. When it comes to transforming a space, decorative lights shine brighter than most home decor elements. They're not just for illuminating dark corners, they're the magic wand that can change the mood of any room. Just like a great outfit, layering different types of lighting adds depth and interest to a room, you can easily transform a dull space into a vibrant and inviting environment that reflects your personality and enhances the overall design aesthetic.

DECORATIVE LIGHT



Square wall light Material: Walnut wood

Ring Power: 20W

Material: Russian wood



Linear Dimensions : 60 /100cm Material : Russian wood Light : 4000K



Linear Halo Material : Walnut wood Light : 4000K



Linear Square Material : Russian wood Light : 4000K



Linear Wall Square Dimensions : 50 /70 /100cm Material : Walnut wood Light : 3500K



Linear Curve Material: Walnut wood Light: 4000K



Round Wall Material: Walnut wood

DECORATIVE LIGHT



Ceiling Square Material : Walnut wood



Polygon Dimensions: 60 /100cm Material: Russian wood Light: 4000K



Jupiter Material : Walnut wood Light : 4000K



Spora Material : Russian wood Light : 4000K



Mini Arena Power : 20W Material : Russian wood



Pluto Dimensions : 50 /70 /100cm Material : Walnut wood Light : 3500K



Alma Material : Walnut wood Light : 4000K



Round Wall Material: Walnut wood





INDOOR PANEL LIGHT



LED panel lights have become a popular choice for public indoor spaces such as offices, hospitals, educational centers, and shopping centers due to their energy efficiency, durability, and design flexibility. These lights come in various types, including Frame Led Panels, recessed and surface mounted options, allowing for easy installation and adaptability to different ceiling types. Additionally, LED panel lights offer a wide range of color temperatures and lumen outputs.

LED panel lights are also known for their long lifespan, reducing maintenance costs and the need for frequent replacements.

Panel Light



Surface Mounted Luminaire - 60*60

Power: 54W / 75W Luman: 6000L / 8250L Temp.: 3000K.4000K.6000K



Surface Mounted Luminaire - 40*110 Power: 75W

Luman: 8250L Temp.: 3000K.4000K.6000K



Surface Mounted Luminaire - 60*60 Power: 54W / 75W

Luman: 6000L / 8250L Temp.: 3000K.4000K.6000K



Clean Room Recessed Mounted LED Panel- 60*60

Power: 50W / 75W Luman: 5500L/ 8250L Temp.: 3000K.4000K.6000K



Recessed Mounted Luminaire - 60*60 Power: 54W / 75W

Luman : 5850L/ 8250L Temp.: 3000K.4000K.6000K



Surface Mounted Luminaire - 40*40 Power: 30W

Luman : 3300L Temp.: 3000K.4000K.6000K



Recesed Mounted Frame Panel - 60*60

Power: 54W Luman: 6000L Temp.: 3000K.4000K.6000K



Recessed Circle COB Downlight Cut: 12 Cm

Power: 20W Luman : 2000L/2600L Temp.: 3000K.4000K.6500K



Panel Light



LED panel lights have become a popular choice for public indoor spaces such as offices, hospitals. educational centers, and shops due to their energy efficiency, durability, and design flexibility. These lights come in various types, including Frame Led Panels, recessed and surface mounted options, allowing for easy installation and adaptability to different ceiling types. Additionally, LED panel lights offer a wide range of color temperatures and lumen outputs



Recessed Circle SMD Downlight - Matia DOB - Cut: 7.5 Cm Power: 5W Luman: 500L

Temp.: 3000K.4000K.6500K



Recessed Circle SMD Downlight - Matis DOB-Cut: 8Cm Power: 8W

Luman: 900L

Light: 3000K.4000K.6500K



Recesed Dark Light Luminaire- 60*60 Power: 60W Luman: 7800L

Temp.: 3000K.4000K.6500K



Recesed Dark Light Luminaire- 60*60 Power: 60W

Luman: 7800L Temp.: 3000K.4000K.6500K



Cylinder Downloight

Dimension: 12*10Cm Power: 20W


Temp.: 3000K.4000K.6500K




Surface Mounted SMD Surface Mounted SMD Cylinder Downloight

Dimension: 8*10 Cm Power: 10W Luman: 1000L

Temp.: 3000K.4000K.6500K



OUTDOOR POOL LIGHT



Proper lighting for your swimming pool is crucial for creating a safe and inviting atmosphere in your pool area. In addition to allowing you to enjoy a swim after dark, the right lighting can enhance the overall aesthetic of your outdoor space. Whether you prefer colorful LED lights that can be tailored to suit your mood, or classic white lights for a more elegant and refined appearance, the possibilities are endless.

When choosing the right lighting for your swimming pool, it's important to consider not only the aesthetic appeal but also the functionality and safety aspects. Properly illuminated pool areas can help prevent accidents and ensure that swimmers can see clearly underwater. Additionally, well-placed lights can highlight key features of your pool, such as water features or landscaping, creating a stunning visual impact. With the wide range of lighting options available today, you can easily customize your pool area to reflect your

Pool lights



Classic pool lights are not just a functional addition to any pool area, they also add an ambiance that can really elevate the overall atmosphere. These lights often come in sleek designs that blend with different pool styles whether it's modern or traditional. With advancements in technology, these lights are now energy-efficient, long-lasting, and easy to install, making them a cost-effective choice for any pool owner looking to enhance their outdoor space.



F10-R Power: 24W Light: 6000K.4000K.3000K



F11-S Power: 12W Light: 6000K.4000K.3000K



F12-R Power: 36W Light: 6000K.4000K.3000K



F10 Power: 18W Light: 6000K.4000K.3000K



F10-R Power: 18W Light: 6000K.4000K.3000K



F11-S Power: 54W Light: 6000K.4000K.3000K



F12-R Power: 6W Light: 6000K.4000K.3000K



CLEN ROOM 60*60 Power: 3W Light: 6000K.4000K.3000K


Pool lights



Lighting a swimming pool with linear lights can create a stunning visual effect that enhances the overall ambiance of the pool area. These modern lights offer a clean and contemporary look, making them perfect for creating an elegant and inviting atmosphere. For architects, incorporating linear lighting into their designs offers versatility in terms of placement and design options, allowing them to get creative and truly make their projects stand out.



OUTDOOR FACADE AND FLOOR LIGHTS IP68



LED facade lighting is a cutting-edge method for illuminating buildings and outdoor areas. By merging aesthetics with functionality, LED systems have transformed architectural lighting design. This type of lighting embodies a fusion of contemporary technology and imaginative design in architectural lighting. Whether utilizing linear LED lights or adaptable outdoor applications, LED lighting systems provide a sustainable, efficient, and visually striking solution for illuminating facades and outdoor spaces. The fusion of contemporary technology and imaginative design in LED lighting systems allows architects and designers to explore new creative avenues in lighting design. From creating dramatic highlights and shadows to enhancing the architectural features of a building, LED facade lighting provides a flexible and cost-effective solution for transforming outdoor spaces into captivating visual experiences.

Facade & Floor Linear light IP68



TS18T Power: 20W / 24W / 30W Color: White / Black Temp: 6000K.4000K.3000K



TS11T Power: 60W / 90W Color: White / Black Temp: 6000K.4000K.3000K



TS13TF Power: 20W / 24W / 30W Color: White / Black Temp: 6000K.4000K.3000K



TS9T Power: 40W / 52W / 60W Color: White / Black Temp: 6000K,4000K,3000K



IP-Ts30 Power: 20W / 30W Color: White / Black Temp: 6000K.4000K.3000K



Facade & Floor Linear light IP68

TIP68T Power: 60W / 90W Color: White / Black Temp: 6000K.4000K.3000K



DL1 L Height (cm): 500 / 600 Power: 100W / 200W Luman: 16000 / 32000 Temp: 5000k / 6500k



PL 50 Height (cm): 50 / 80 / 100 Power: 10W

Luman :1600 Temp : 3000k / 4000 / 6500k



DL2 S Height (cm): 80 / 100 / 120 Power: 10W Luman: 1600 Temp: 3000k / 4000 / 6500k DL3 M Height (cm): 240 / 300 Power: 30W / 60W Luman: 4800 / 9600 Temp: 5000k / 6500k



PHU 43 Dimensions: 30*15 cm Power: 100W Luman: 16500 / 17800 Temp: 4000 / 6500k



KRW 987 Dimensions : 30*15 cm Power : 100W Luman :16500 / 17800 Temp : 4000 / 6500k



JL 98 Height (cm) : 60 / 80 / 100 Power : 30W Luman :4200L Temp : 3000k / 4000 / 6500k



LRT 78 Height (cm): 50 / 60 / 80 Power: 10W Luman: 1600 Temp: 3000k / 4000 / 6500k



TS M90 Dimensions : 45*25 cm Power : 100W Luman :1400 Temp : 4000 / 6500k



YSO89 Dimensions: 30*10 cm Power: 30W / 100W Luman: 4200 / 14000 Temp: 4000 / 6500k



